

Speedy Innovation of the future

**800X
1600MM**

1ST TIME IN INDIA WITH

**600X
1800MM**



FIRST TIME INDIA with




600x1800mm



Speedy Innovation of The Future

UNIQUE SIZES



Types

GVT
PGVT

Finishes

- ☀ Glossy
- Matt
- ☀ High Gloss
- ☀ Dark High Gloss
- Satin Matt
- ⚓ Rustic Matt
- ☼ Relief Matt

Finishes

- ☼ Effected Matt
- ☼ Glossy Carving
- ☼ Rustic Carving
- ☼ Velvet Carving
- ☼ Velvet
- ☼ Spread Sparkle
- ☼ Polished Sugar

Finishes

- ☼ Effected Wood
- ☼ Coloured Body
- ☼ Metallic
- ☼ Sand
- ☼ Sand Coloured Body

ALWAYS AT THE FOREFRONT IN THE CERAMIC INDUSTRY

Rollstar Granito has been at the forefront of major transformations in the Glazed Vitrified Tiles industry for nearly two decades. The company has succeeded in creating globally recognized brands through its commitment to innovation, investment in cutting-edge technologies, and fostering a team of talented individuals who are all integral to the company's future-focused vision. This extensive experience, capacity, and expertise are a direct result of Rollstar's unwavering dedication to excellence.



OUR VISION

To stay up-to-date with the latest design trends and techniques to ensure that designs are innovative and unique and collaborate with customers to create custom designs.

“
Revolutionize
production
with cutting-edge
technology
for new-age
manufacturing

We have specialisation in
manufacturing high-quality
G.V.T & P.G.V.T
VITRIFIED TILES

World- class manu- facturing units

Our state-of-the-art manufacturing plants ensure that the tiles we produce are of world-class quality standards. We offer the safest working conditions for our staff and comply with all local and international norms. Rest assured, you will always get the best.



FROM THE DESK OF THE CHAIRMAN

I strongly believe that there is no short cut to achieve business goals with value like moral, ethics, honesty. I always give priority to smart work in 21st century. Customer satisfaction & their value for money is my main goal. Consistency in quality, creativity & innovation with most advanced technology is my passion. Further, "i never believe as i." "i believe as we." it's my principal of life that any of the successful organisations is only because of the efforts of the whole team members of the organisation & customers. And that's why i care about all of my team members and my customers too.

Khodubhai Dhamazana





THE GRAND EVOLUTIONARY FORMAT



Breadth and durable for surfaces that amplify and highlight a quality and philosophy that goes beyond the limits of the material, thanks to a technology able to transform and exalt veining, colors and textures, creating a perfect visual continuity between walls and floors. Extremely versatile, all the collections guarantee high-level performances and maximum resistance.

80x160 cm



MATT COLLECTION

ALLUMINATE BEIGE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ALLUMINATE CREMA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





BAMBOUTI CREMA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





BAMBOUTI GREY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






CEMENTO GRIS

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





CEMENTO SILVER

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ELEGANCE BEIGE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ELEGANCE BIANCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



ELEGANCE GRIS

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ELEGANCE LATTE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ELEGANCE NATURAL

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





EZO BROWN

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





EZO IVORY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






GRAFFITI GRIS

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





PASTO BEIGE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



PASTO NATURAL

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






RAGE GRIS

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






RAGE IVORY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROIS CREMA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROYALE AZUL

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



ROYALE BIANCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROYALE CHOCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROYALE CREMA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROYALE GREY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROYALE AQUA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE




ROYALE BLACK

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ROYALE PISTA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






ROYALE VARDE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE




ROYALE YELLOW

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





VELVET BEIGE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



VELVET BIANCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE




VELVET BLUE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



VELVET BROWN

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





VELVET CHOCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



VELVET CREMA

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





VELVET GOLD

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





VELVET GREY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM






VELVET IVORY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ZAMORA BEIGE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



ZAMORA BIANCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



ZAMORA GREY

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





ZURA BIANCO

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE





ZURA FOG

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
DURABILITY

WATER
RESISTANCE



ZURA LATTE

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM







ZURA NATURAL

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM







WOODEN COLLECTION

WOODEN CRAFT-1

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-2

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-3

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-4

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-5

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-6

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-7

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-8

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-9

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-10

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



WOODEN CRAFT-11

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-12

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-13

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-14

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-15

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-16

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-17

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-18

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-19

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-20

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-21

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM



ANTI-SLIP
SURFACE

HYGIENIC
SURFACE

FIRE
RESISTANCE

EASY
MAINTENANCE

HIGH
QUALITY

WATER
RESISTANCE



WOODEN CRAFT-22

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-23

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-24

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-25

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-26

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





WOODEN CRAFT-27

Dimension:
800X1600MM

Surface
MATT

Random
04

Thickness
9 MM





1	Easy to clean	
2	Hygienic / Antibacterial surface	
3	Water resistant	
4	Impact resistant	
5	Frost resistant	
6	Scratch resistant	
7	Chemical & Stain resistant	
8	Fire resistant	

CREATIVE AWAKENING OF DESIGNS



VERSATILE SIZE

Available in the grand size, the collection presents you with a perfect tiling solution to create seamless interiors.



SAFE & SECURE

Non-porous, hygienic, stain and scratch protected, the tiles from this collection are also ice and thermal shock-resistant.



DESIGN VARIETIES

Available across a spectrum of patterns, the collection offers variety for all kinds of spaces and preferences.



MORE SUSTAINABLE

The collection is made from exceptionally durable and recyclable material, giving it an edge with its ecological and eco-friendliness.

TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP B/A	MEAN VALUE OF ROLLSTAR PGVT	MEAN VALUE OF ROLLSTAR GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm ²	Min. 40 N/mm ²	Min. 40 N/mm ²	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg.	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg.	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10 ⁻⁶	Max. 6.5x10 ⁻⁶	Max. 6.5x10 ⁻⁶	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

PACKING DETAILS

Size	Thickness (approx)	Pieces / Box	Area / Box	Weight / Box (approx)
1200X1800MM	9MM	2 pcs.	4.32 sq. mtr.	90 kgs.
1200X1200MM	9MM	2 pcs.	2.88 sq. mtr.	60 kgs.
800X1600MM	9MM	2 pcs.	2.56 sq. mtr.	51 kgs.
600X1800MM	9MM	2 pcs.	2.16 sq. mtr.	43 kgs.
750X1500MM	9MM	2 pcs.	2.25 sq. mtr.	44 kgs.
600X1200MM	9MM	2 pcs.	1.44 sq. mtr.	28 kgs.
800X800MM	8.5MM	3 pcs.	1.92 sq. mtr.	37 kgs.

OUR GLOBAL NETWORK



Packing Detail :	
SIZE	800X1600 MM
THICKNESS(APPROX)	9 MM
PCS/BOX	02 PCS
COVERAGE AREA	27.55 SQ FT / 2.56 SQ MTR
WEIGHT(APPROX)	51 KGS.

**600X
1800MM**

**800X
800MM**

**800X
1600MM**

**1200X
1800MM**

**1200X
1200MM**



ROLLSTAR GRANITO LLP

8-A National highway, Matel Road, Nr. Amardham Temple
Wankaner, Morbi - 363621 Gujarat - IN

Phone : +91 95123 55557

Web : www.rollstargranito.com

Mail : info@rollstargranito.com
export@rollstargranito.com

